

**Lambertville Municipal Utilities Authority-Public Notice for  
the Solicitation of Sodium Bisulfite  
Solution for the Period of July 1, 2019 to June 30, 2021**

**Notice is hereby given** that sealed submissions will be received by the Executive Director, or designated representative, for Lambertville Municipal Utilities Authority, on **Thursday, May 30, 2019, at 10:00 a.m.** prevailing time, the LMUA Administration Building, Lambert Lane Extended, Lambertville, NJ 08530. Then publicly opened and read aloud for the supplying of Sodium Bisulfite Solution for delivery at the Lambertville Treatment Plant, from July 1, 2019 to June 30, 2021.

Standardized submission requirements and select criteria are on file and available in the administration office of the Lambertville Municipal Utilities Authority, Lambert Lane Extended, Lambertville, New Jersey 08530.

Submission packages may be obtained at the Lambertville Municipal Utilities Authority office, (609) 397-1496 during regular business hours 8:00 a.m. to 4:00 p.m., Monday through Friday, excluding holidays. Packages can be requested from Melissa Ege via email: [mege@lambertvillemua.com](mailto:mege@lambertvillemua.com).

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq. and N.J.A.C. 17:27 et seq. (Contract Compliance and Equal Employment Opportunity in Public Contracts).

The Lambertville Municipal Utilities Authority reserves the right to reject any or all submissions due to any defects or waive informalities and accept any submissions that in their judgment will be in the best interest of the Authority. The Authority shall award the contract or reject all submissions no later than 60 days from receipt of the same.

Thomas F. Horn,  
Executive Director

Dated: April 23, 2019

Published: April 25, 2019

**Lambertville Municipal Utilities Authority-Public Notice for  
the Solicitation of Sodium Hypochlorite  
Solution for the Period of July 1, 2019 to June 30, 2021**

**Notice is hereby given** that sealed submissions will be received by the Executive Director, or designated representative, for Lambertville Municipal Utilities Authority, on **Thursday, May 30, 2019, at 10:00 a.m.** prevailing time, the LMUA Administration Building, Lambert Lane Extended, Lambertville, NJ 08530. Then publicly opened and read aloud for the supplying of Sodium Hypochlorite Solution for delivery at the Lambertville Treatment Plant, from July 1, 2019 to June 30, 2021.

Standardized submission requirements and select criteria are on file and available in the administration office of the Lambertville Municipal Utilities Authority, Lambert Lane Extended, Lambertville, New Jersey 08530.

Submission packages may be obtained at the Lambertville Municipal Utilities Authority office, (609) 397-1496 during regular business hours 8:00 a.m. to 4:00p.m., Monday through Friday, excluding holidays. Packages can be requested from Melissa Ege via email: [mege@lambertvillemua.com](mailto:mege@lambertvillemua.com).

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq. and N.J.A.C. 17:27 et seq. (Contract Compliance and Equal Employment Opportunity in Public Contracts).

The Lambertville Municipal Utilities Authority reserves the right to reject any or all submissions due to any defects or waive informalities and accept any submissions that in their judgment will be in the best interest of the Authority. The Authority shall award the contract or reject all submission no later than 60 days from receipt of the same.

Thomas F. Horn,  
Executive Director

Dated: April 23, 2019

Published: April 25, 2019